



2115TiMAX 3/8" Air Impactool™



Maximum Impact

Titanium hammer case is lightweight with unparalleled durability

The new 2115TiMAX delivers best in class performance for a tool less than six inches long and weighing less than two and a half pounds. The minimal size of this tool will allow greater access to tight spaces, while the minimal weight will reduce operator fatigue...all while still delivering MAX performance.

MAX Power

300 ft-lbs max power in reverse – that's best in class power performance

MAX Control

Enhanced power settings, a feather touch trigger and patented push button forward/reverse provide maximum control

MAX Reliability

FREE two-year limited warranty with tool registration

SPECIFICATIONS

| | |
|-----------------------------|---|
| Max Torque (Reverse) | 300 ft-lb (407 Nm) <i>3/8" Drive Models</i> |
| | 332 ft-lb (450 Nm) <i>1/2" Drive Models</i> |
| Forward Torque Range | 25 – 230 ft-lb (34 – 312 Nm) <i>3/8" Drive Models</i> |
| | 25 – 251 ft-lb (34 – 340 Nm) <i>1/2" Drive Models</i> |
| Blows Per Minute | 1,500 |
| Maximum Free Speed | 15,000 rpm |
| Sound Pressure (Free Speed) | 89.7 dBA** |
| Net Weight (2115TiMAX) | 2.48 lb (1.12 kg) |
| Overall Length | 5.95" (151 mm) |

AIR REQUIREMENTS

| | |
|-----------------------|--------------------|
| Air Consumption, Avg. | 4 cfm (113 l/min) |
| @ load | 17 cfm (481 l/min) |
| Air Inlet | 1/4" NPTF |
| Minimum Hose Size | 3/8" (10 mm) |

**dBA rating is for Quiet Tools

irtools.com/2115TiMAX

Industrial Environments (Quiet!)

The 2115PTiMAX and 2125PTiMAX pin-type models are now standard with patented Quiet Tool technology, reducing sound levels without compromising best-in-class power performance.



2115TiMAX



The original, perfected twin hammer mechanism utilizes proprietary advanced metallurgy

Hard coat anodized end plate stands up to the toughest jobs

Patented four-position power regulator dial for MAX control

New 7-vane motor delivers even more power

Improved grease fitting for easy maintenance

Patented one-hand forward / reverse for easy operation

Feather-touch trigger enables impressive control

New ergonomic housing offers greater operator comfort

Optimized air flow ensures maximum performance

Tool shown at actual size

| MODEL | DRIVE | QUIET TOOL | PIN RETAINER |
|------------|-------|------------|--------------|
| 2115TiMAX | 3/8" | | |
| 2115QTiMAX | 3/8" | ✓ | |
| 2115PTiMAX | 3/8" | ✓ | ✓ |
| 2125QTiMAX | 1/2" | ✓ | |
| 2125PTiMAX | 1/2" | ✓ | ✓ |

2 Year

Limited Warranty

REGISTRATION REQUIRED
at irtools.com/warranty
1-866-429-4717 (US & Canada only)

See irtools.com for official Terms & Conditions. May vary by country.



Protect your 2115TiMAX with FREE limited warranty protection

- Tool registration required at irtools.com/warranty or 1-866-429-4717 (US & Canada only)
- Available for the entire 2115TiMAX & 2125QTiMAX families only
- Warranty terms may vary by country, see web site for details



Go to irtools.com for information about quality Ingersoll Rand accessories.

Ingersoll Rand provides total solutions for getting the job done right. When you need genuine replacement parts, count on us to deliver.



Distributed by:



Ingersoll Rand Industrial Technologies provides products, services and solutions that enhance our customers' energy efficiency, productivity and operations. Our diverse and innovative products range from complete compressed air systems, tools and pumps to material and fluid handling systems and environmentally friendly microturbines. We also enhance productivity through solutions created by Club Car®, the global leader in golf and utility vehicles for businesses and individuals.

(800) 376-TOOL • irtools.com